

EAZYPOST WIRE & BAR SYSTEMS



BMARCHITECTURAL

EAZYPOST WIRE PRE-ASSEMBLED SYSTEM


Middle Post with Adjustable Saddle 1100mm High

90027B

Article	D/Ø mm
90027B.485/00.34F	48.3x2.5/Flat
90027B.485/42.34	48.3x2.5/42
90027B.485/00.36F	48.3x2.5/Flat
90027B.485/42.36	48.3x2.5/42

Suitable for 3mm wire

Includes:
90941 Base Plate;
90513 Cover;
90719 Post Stem.




End Post with Adjustable Saddle 1100mm High

90028

Article	D/Ø mm
90028.485/00.34F	48.3x2.5/Flat
90028.485/42.34	48.3x2.5/42
90028.485/00.36F	48.3x2.5/Flat
90028.485/42.36	48.3x2.5/42

Suitable for 3mm wire

Includes:
90941 Base Plate;
90513 Cover;
90719 Post Stem;
97350 Eye Bolt (7).




90° Corner Post with Saddle 1100mm High

90029

Article	D/Ø mm
90029.485/00.34F	48.3x2.5/Flat
90029.485/42.34	48.3x2.5/42
90029.485/00.36F	48.3x2.5/Flat
90029.485/42.34	48.3x2.5/42

Suitable for 3mm wire


Includes:
90941 Base Plate;
90513 Cover;
90719 Post Stem;
97350 Eye Bolt (14).



Tensioner with Jaw

97250


Article	D	Ø mm	H	L
97250.003.34	5	3 (M6)	90	155-230
97250.006.34	9	6 (M10)	125	270-325
97250.003.36	5	3 (M6)	90	155-230
97250.006.36	9	6 (M10)	125	270-325



Cable Stopper

97400


Article	Ø/D mm
97400.003.34	3.5/18
97400.006.34	6.5/20
97400.003.36	3.5/18
97400.006.36	6.5/20



Terminal with Jaw

97300

Article	D	Ø mm	L
97300.003.34	5	3	50
97300.006.34	9	6	97
97300.003.36	5	3	50
97300.006.36	9	6	97



6mm Stainless Steel Wire 100m Spool

97900

Article	Ø mm
97900.003.34	3 (1x19)
97900.006.34	6 (7x19)
97900.003.36	3 (1x19)
97900.006.36	6 (7x19)




10m & 50m reels also available.

Eye Bolt

97350

Article	D	Ø mm	L
97350.003.34	M6	15	19
97350.006.34	M10	19	30
97350.003.36	M6	15	19
97350.006.36	M10	19	30




Bar Holder Central Ø12

90830

Article	Ø mm	Bmm
90830.00/12.34F	Flat	22
90830.42/12.34	42	22
90830.48/12.34	48	22
90830.00/12.36F	Flat	22
90830.42/12.36	42	22
90830.48/12.36	48	22

To suit 12mm Bar.




Connect Bar Holder Ø12

90831

Article	Ø mm	B/C mm
90831.00/12.34F	Flat	22/20
90831.42/12.34	42	22/20
90831.48/12.34	48	22/20
90831.00/12.36F	Flat	22/20
90831.42/12.36	42	22/20
90831.48/12.36	48	22/20

To suit 12mm Bar.




Bar Holder Left Blind Ø12

90832

Article	Ø mm	B/C mm
90832.00/12.34F	Flat	22/20
90832.42/12.34	42	22/20
90832.48/12.34	48	22/20
90832.00/12.36F	Flat	22/20
90832.42/12.36	42	22/20
90832.48/12.36	48	22/20

To suit 12mm Bar.




Bar Holder Right Blind Ø12

90833


Article	Ø mm	B/C mm
90833.00/12.34F	Flat	22/20
90833.42/12.34	42	22/20
90833.48/12.34	48	22/20
90833.00/12.36F	Flat	22/20
90833.42/12.36	42	22/20
90833.48/12.36	48	22/20

To suit 12mm Bar.



Stainless Steel Bar 3m Length, 320 Grain

Ø mm	Grade
12	304/316



BMARCHITECTURAL

SPECIALISTS IN ARCHITECTURAL SYSTEMS

From homes to workplaces and beyond, we help create inspiring and safe spaces where people thrive.

Our expertise areas include:

- Residential, commercial and anti-terror **Glass Balustrade**
- Canopies, partitions and structural walls of **Frameless Glass**
- Fire-rated, security, slimline and thermally-insulated **Steel Glazing**
- **Class A Fire-Rated Balcony Systems** for safer high-rise living
- Composite and recycled plastic products for transforming **Outdoor Spaces**

Our architectural systems enhance the natural light, feeling of space, views, safety and visual appeal of a property. They also enable design professionals and building owners to meet fall protection, thermal, fire and security regulations with ease.

Contact us to discuss your requirements. We supply new-build and renovation projects, large and small, throughout the UK and Ireland.

T: 0114 254 3226

E: sales@bmarchitectural.com

W: www.bmarchitectural.com

A BARCLAY & MATHIESON LTD COMPANY

BMGROUP

May 2025

BMSTEEL



ANGUS F GUNN LTD



BM DISTRIBUTION