

# GLASS STAND-OFFS

**BM**ARCHITECTURAL


# GLASS STAND-OFF SYSTEM

## Boss only 50mmØ M12 (100mm long)


90740.50

Article	Glass mm
90740.50.34	8-21.5
90740.50.36	8-21.5

We recommend a Hook Spanner for fitting these items, article number 0518-50.



Glass Drilling




## Glass Adapter 60mmØ M10/M12


90745

Article	H/L mm	Glass mm
90745.10.34	10/100 (M12)	8-21.5
90745.30.34	30/90 (M10)	8-21.5
90745.40.34	40/100 (M10)	8-21.5
90745.50.34	50/110 (M10)	8-21.5
90745.10.36	10/100 (M12)	8-21.5
90745.30.36	30/90 (M10)	8-21.5
90745.40.36	40/100 (M10)	8-21.5
90745.50.36	50/110 (M10)	8-21.5

We recommend a Hook Spanner for fitting these items, article number 0518-60.



Glass Drilling




## Glass Adapter 30mmØ M8


90746

Article	D mm	Glass mm
90746.15.34F	15 Flat	8-17.52
90746.42.34	42	8-17.52
90746.48.34	48	8-17.52
90746.15.36F	15 Flat	8-17.52
90746.42.36	42	8-17.52
90746.48.36	48	8-17.52

We recommend a Hook Spanner for fitting these items, article number 0518-30.



Glass Drilling




## Glass Adapter 50mmØ 10mm Body, M10


90747

Article	D mm	Glass mm
90747.42.34	42.4	8-21.5
90747.48.34	48.3	8-21.5
90747.42.36	42.4	8-21.5
90747.48.36	48.3	8-21.5

We recommend a Hook Spanner for fitting these items, article number 0518-50.



Glass Drilling




## Glass Adapter with additional fixing holes 50mmØ, M12


90747/M12.10

Article	Ø mm	Glass mm
90747/M12.10.34FW	50 (M12)	8-21.5
90747/M12.10.36FW	50 (M12)	8-21.5

We recommend a Hook Spanner for fitting these items, article number 0518-50.



Glass Drilling



## Wood Fixing Screws

90612

Article	H mm
90612W.100	-

Suitable for use with 90747/M12.50.



## Adaptor Hook Spanner

0518

Article	Ø mm
0518-30	30
0518-50	50



Fittings are also available in Mirror polish finish on request. (Add "MP" suffix to product code).




Glass Adapter 50mmØ M10

90747.M10


Article	H/L mm	T mm
90747.10.34F	10/50	8-21.5
90747.20.34	20/70	8-21.5
90747.30.34	30/80	8-21.5
90747.40.34	40/80	8-21.5
90747.50.34	50/90	8-21.5
90747.10.36F	10/50	8-21.5
90747.20.36	20/70	8-21.5
90747.30.36	30/80	8-21.5
90747.40.36	40/80	8-21.5
90747.50.36	50/90	8-21.5

We recommend a Hook Spanner for fitting these items, article number 0518-50.

Bespoke body sizes available on request.



Glass Drilling




Glass Adapter 50mmØ M12

90747.M12


Article	H/L mm	T mm
90747/M12.10.34F	10/50	8-21.5
90747/M12.20.34	20/70	8-21.5
90747/M12.30.34	30/80	8-21.5
90747/M12.40.34	40/80	8-21.5
90747/M12.50.34	50/90	8-21.5
90747/M12.100.34	100/90	8-21.5
90747/M12.10.36F	10/50	8-21.5
90747/M12.20.36	20/70	8-21.5
90747/M12.30.36	30/80	8-21.5
90747/M12.40.36	40/80	8-21.5
90747/M12.50.36	50/90	8-21.5
90747/M12.100.36	100/90	8-21.5

We recommend a Hook Spanner for fitting these items, article number 0518-50.

Bespoke body sizes available on request.






Glass Drilling



Adjustable Glass Adapter  
50mmØ M12

90747


Article	H mm	Glass mm
90747.2543.36	25-43	12-31.5



Glass Drilling

Fittings are also available in Mirror polish finish on request. (Add "MP" suffix to product code).

## ADJUSTABLE SLAB NOSE BRACKETS





## Rubber

95031

Article	Colour	Compatible
95301/32.050.00	Transparent	90747
95301/32.050.99	Black	90747




## Slab Connector 50mmØ for M12


90749.H

Article	H mm	T mm
90749.30.34	30	8-21.5
90749.40.34	40	8-21.5
90749.50.34	50	8-21.5
90749.30.36	30	8-21.5
90749.40.36	40	8-21.5
90749.50.36	50	8-21.5

We recommend a Hook Spanner for fitting these items, article number 0518-50.



Glass Drilling



## Adjustable Slab Nose

000110

Article	H mm	Glass mm
000110.34	40	12-31.5
000110.36	40	12-31.5

304 or 316 grade.

Brush finish.


Up to 250kg glass.

Max. size: 1400x1260mm (8 fixings).


400mm centre.

+/- 5mm horizontal/vertical adjustment.

0-5mm width adjustment.




Glass Drilling



Ø 20mm ±0.5 (smallest hole on the wall fixing side.)

Ø 24mm ±0.5



Fittings are also available in Mirror polish finish on request. (Add "MP" suffix to product code).

# BMARCHITECTURAL

## SPECIALISTS IN ARCHITECTURAL SYSTEMS

From homes to workplaces and beyond, we help create inspiring and safe spaces where people thrive.

Our expertise areas include:

- Residential, commercial and anti-terror **Glass Balustrade**
- Canopies, partitions and structural walls of **Frameless Glass**
- Fire-rated, security, slimline and thermally-insulated **Steel Glazing**
- **Class A Fire-Rated Balcony Systems** for safer high-rise living
- Composite and recycled plastic products for transforming **Outdoor Spaces**

Our architectural systems enhance the natural light, feeling of space, views, safety and visual appeal of a property. They also enable design professionals and building owners to meet fall protection, thermal, fire and security regulations with ease.

Contact us to discuss your requirements. We supply new-build and renovation projects, large and small, throughout the UK and Ireland.

**T:** 0114 254 3226

**E:** [sales@bmarchitectural.com](mailto:sales@bmarchitectural.com)

**W:** [www.bmarchitectural.com](http://www.bmarchitectural.com)

A BARCLAY & MATHIESON LTD COMPANY

**BMGROUP**

May 2025

**BMSTEEL**



**ANGUS F GUNN LTD**



**BM DISTRIBUTION**