


HANDRAILS & ACCESSORIES




BMARCHITECTURAL

HANDRAIL & SLOTTED TUBES

Stainless Steel Tubes, Ornamental

6m Length, 320 Grain



Article Ø mm	Grade
42.4x2.0	304/316
42.4x2.5	304/316
48.3x2.0	304/316
48.3x2.5	304/316
50.8x3.0	304/316
60.3x3.0	304/316



Stainless Steel Square Tubes

6m Length, 320 Grain


Article Ø mm	Grade
40x40x2.0	304/316



Stainless Steel Slotted Tubes

6m Length, 320 Grain


Article Ø mm	Grade	Slot UxH1
42.4x1.5	304/316	24x24
48.3x1.5	304/316	27x30
60.3x1.5	304/316	34x34



Stainless Steel Rectangular Slotted Tubes

6m Length, 320 Grain


Article	Grade	Slot	W
40x40x1.5	304/316	24x24	40
60x40x1.5	304/316	24x24	60



U Rubber Gasket

6m Roll

Article WxH	U mm	Glass mm
950.42.110	24	10-12.5
950.42.120	24	11.5-13.5
950.42.150	24	15
950.42.175	24	16-17.5
950.42.190	24	19
950.42.215	24	20-21.5
950.48.110	27	10-12.5
950.48.120	27	11.5-13.5
950.48.150	27	15
950.48.175	27	16-17.5
950.48.190	27	19
950.48.215	27	20-21.5
950.60.250	34	25.5
950.60.315	34	31.5
950.60.330	34	33



Tubes are also available in Mirror polish finish on request.


TOPRAIL, CAPPING & GASKET

K002

Aluminium 6m Length

Article WxH	Glass	Slot UxH1
50x40	17.5	24x24

Anodised, Alinox finish (super brushed).





K005

Stainless Steel Capping 3m Length, 320 grain

Article WxH	Grade	Glass	Slot UxH1
27.7x25.1	316	12-21.5	24x24

Compatible with:
K005-EC (End Cap)
K005-90C (90° Connector)





K006

Aluminium 6m Length

Article WxH	Glass	Slot UxH1
26x20	21.5	24x19

Anodised Brush.





K007

Aluminium 6m Length

Article WxH	Glass	Slot UxH1
22x16	17.5	20x15


Anodised Brush.



U Rubber Gasket

6m Roll

Article	U mm	Glass mm
950.42.110	24	10-12.5
950.42.120	24	11.5-13.5
950.42.150	24	15
950.42.175	24	16-17.5
950.42.190	24	19
950.42.215	24	20-21.5




Tubes are also available in Mirror polish finish on request.

HANDRAIL ACCESSORIES

End Cap for Slotted Tube

96732


Article	Ø mm	H mm
96732.42.34	42	4
96732.48.34	48	4
96732.60.34	60	4
96732.42.36	42	4
96732.48.36	48	4
96732.60.36	60	4



Wall Flange for Slotted Tube

96505


Article	D	Ø mm	H mm
96505.42.34	90	42	30
96505.48.34	95	48	30
96505.60.34	95	60	30
96505.42.36	90	42	30
96505.48.36	95	48	30
96505.60.36	95	60	30



90° Horizontal Connector for Slotted Tube

96313


Article	Ø mm	H mm
96313.42.34	42	30
96313.48.34	48	35
96313.60.34	60	40
96313.42.36	42	30
96313.48.36	48	35
96313.60.36	60	40



90° Horizontal Connector for Slotted Tube

96319


Article	Ø mm	H mm
96319.42.34	42	30
96319.48.34	48	35
96319.42.36	42	30
96319.48.36	48	35



Tube Connector for Slotted Tube

96790


Article	Ø mm	H mm
96790.42.34	42	6
96790.48.34	48	6
96790.60.34	60	6
96790.42.36	42	6
96790.48.36	48	6
96790.60.36	60	6



Articulated Horizontal Connector for Slotted Tube

96314

Article	Ø mm	H mm
96314.42.34	42	30
96314.48.34	48	35
96314.42.36	42	30
96314.48.36	48	35




Fittings are also available in Mirror polish finish on request. (Add "MP" suffix to product code).

Articulated Top Landing Elbow Slotted Tube

96399

Article		
96399.42.36L	-	-
96399.42.36R	-	-


Photo shows 96399 42.36L



25-55° Articulated Joint Downward for Slotted Tube

96302


Article	Ø mm	H mm
96302.42.34	42	30
96302.48.34	48	35
96302.60.34	60	40
96302.42.36	42	30
96302.48.36	48	35
96302.60.36	60	40



25-55° Articulated Joint Upwards for Slotted Tube

96312


Article	Ø mm	H mm
96312.42.34	42	30
96312.48.34	48	35
96312.60.34	60	40
96312.42.36	42	30
96312.48.36	48	35
96312.60.36	60	40



90° Vertical Connector for Slotted Tube

96303


Article	Ø mm	H mm
96303.42.34	42	30
96303.48.34	48	35
96303.60.34	60	40
96303.42.36	42	30
96303.48.36	48	35
96303.60.36	60	40



U Rubber Gasket

6m Roll

Article	U mm	Glass mm
950.42.110	24	10-12.5
950.42.120	24	11.5-13.5
950.42.150	24	15
950.42.175	24	16-17.5
950.42.190	24	19
950.42.215	24	20-21.5
950.48.110	27	10-12.5
950.48.120	27	11.5-13.5
950.48.150	27	15
950.48.175	27	16-17.5
950.48.190	27	19
950.48.215	27	20-21.5




HANDRAIL ACCESSORIES

End Cap for Square Slotted Tube

96732


Article	W	L
96732.040.34	40	4
96732.640.34	60	4
96732.040.36	40	4
96732.640.36	60	4



90° Horizontal Connector for Square Slotted Tube

96313


Article	W	H
96313.040.34	40	40
96313.640.34	60	40
96313.040.36	40	40
96313.640.36	60	40



Wall Flange for Square Slotted Tube

96505


Article	W	W1	H1
96505.040.34	40	95	95
96505.640.34	60	100	80
96505.040.36	40	95	95
96505.640.36	60	100	80



90° Vertical Connector for Square Slotted Tube

96303


Article	W	L
96303.040.34	40	30
96303.640.34	60	30
96303.040.36	40	30
96303.640.36	60	30



Tube Connector for Square Slotted Tube

96790

Article	W	L
96790.040.34	40	6
96790.640.34	60	6
96790.040.36	40	6
96790.640.36	60	6



Fittings are also available in Mirror polish finish on request. (Add "MP" suffix to product code).

Glue

B638

Article	ml
B638	50

High strength on all metals

Fast curing.

Max. gap size: 0,25 mm

Service temperature range: -55 to +180°C

Tensile shear strength in N / mm²: > 25



Bonding Compound

8300

Article	ml
8300	50
KLE6B	Application nozzle



Compound Application Gun

Article
GUN KLEI



Post Fixing Screws M8x20

90680

Article	Size mm
90680.34	M8x20
90680.36	M8x20



Glass Clamp Screws M6x16

90616

Article	Size mm
90616.34	M6x16
90616.36	M6x16



Wood Fixing Screws

90612

Article	Size mm
90612W.100	-

Suitable for use with 90747/M12.50.



Adaptor Hook Spanner

0518

Article	Ø mm
0518-30	30
0518-50	50



BMARCHITECTURAL

SPECIALISTS IN ARCHITECTURAL SYSTEMS

From homes to workplaces and beyond, we help create inspiring and safe spaces where people thrive.

Our expertise areas include:

- Residential, commercial and anti-terror **Glass Balustrade**
- Canopies, partitions and structural walls of **Frameless Glass**
- Fire-rated, security, slimline and thermally-insulated **Steel Glazing**
- **Class A Fire-Rated Balcony Systems** for safer high-rise living
- Composite and recycled plastic products for transforming **Outdoor Spaces**

Our architectural systems enhance the natural light, feeling of space, views, safety and visual appeal of a property. They also enable design professionals and building owners to meet fall protection, thermal, fire and security regulations with ease.

Contact us to discuss your requirements. We supply new-build and renovation projects, large and small, throughout the UK and Ireland.

T: 0114 254 3226

E: sales@bmarchitectural.com

W: www.bmarchitectural.com

A BARCLAY & MATHIESON LTD COMPANY

BMGROUP

May 2025

BMSTEEL



ANGUS F GUNN LTD



BMDISTRIBUTION